

ROLLSROLLER®
SIGNATURE ONE
300/147S ONE

MODEL NAME	ROLLSROLLER 300/147S ONE
Part No.	**122-018**
Flatbed Length	3040 mm / 9 ft. 11,7 in.
Flatbed Width	1470 mm / 4 ft. 9,9 in.
Length of working area	2740 mm / 8 ft. 11,9 in.
Width of working area (Roller width)	1400 mm / 4 ft. 7,1 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	1740 mm / 5 ft. 8,5 in.
Overall height incl. mounted Glide Beam	1305 - 1365mm/4 ft. 3,4in. - 4ft. 5,7 in.
Weight Flatbed Applicator	384 kg / 847 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	554 kg / 1221 lb
Package Flatbed Applicator Assembled (LxWxH)	3200x1750x1350mm/10ft. 6in.x5ft. 8,9 in. x4ft. 5,1in.
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.


Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.

The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.


Ergonomic and safe glide beam


Manually adjustable legs with wheel


Control panel - Main switch

CE Developed and manufactured by ROLLSROLLER AB in Sweden. info@rollsroller.se · rollsroller.com · +46 54 770 70 10



ROLLSROLLER®
SIGNATURE ONE
300/170S ONE

MODEL NAME	ROLLSROLLER 300/170S ONE
Part No.	**122-019**
Flatbed Length	3040 mm / 9 ft. 11,7 in.
Flatbed Width	1700 mm / 5 ft. 6,9 in.
Length of working area	2740 mm / 8 ft. 11,9 in.
Width of working area (Roller width)	1630 mm / 5 ft. 4,2 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	1970 mm / 6 ft. 5,6 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	441 kg / 972 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	616 kg / 1358 lb
Package Flatbed Applicator Assembled (LxWxH)	3200x1980x1350mm/10ft. 6in.x6ft. 6in.x4ft. 5,1in.
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.


Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.

The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.


Ergonomic and safe glide beam


Manually adjustable legs with wheels


Control panel - Main switch

CE Developed and manufactured by ROLLSROLLER AB in Sweden. info@rollsroller.se · rollsroller.com · +46 54 770 70 10



ROLLSROLLER®
SIGNATURE ONE
300/212S ONE

MODEL NAME	ROLLSROLLER 300/212S ONE
Part No.	**122-020**
Flatbed Length	3040 mm / 9 ft. 11,7 in.
Flatbed Width	2120 mm / 6 ft. 11,5 in.
Length of working area	2740 mm / 8 ft. 11,9 in.
Width of working area (Roller width)	2050 mm / 6 ft. 8,7 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	2390 mm / 7 ft. 10,1 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	522 kg / 1151 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	727 kg / 1603 lb
Package Flatbed Applicator Assembled (LxWxH)	3200x2400x1350 mm/10ft. 6in. x 7ft. 10,5in.x4ft.5,1in.
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.


Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.

The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.


Ergonomic and safe glide beam


Manually adjustable legs with wheels


Control panel - Main switch

CE Developed and manufactured by ROLLSROLLER AB in Sweden. info@rollsroller.se · rollsroller.com · +46 54 770 70 10



ROLLSROLLER®
SIGNATURE ONE
360/147S ONE

MODEL NAME	ROLLSROLLER 360/147S ONE
Part No.	**122-021**
Flatbed Length	3640 mm / 11 ft. 11,3 in.
Flatbed Width	1470 mm / 4 ft. 9,9 in.
Length of working area	3340 mm / 10 ft. 11,5 in.
Width of working area (Roller width)	1400 mm / 4 ft. 7,1 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	1740 mm / 5 ft. 8,5 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	441 kg / 972 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	626 kg / 1380 lb
Package Flatbed Applicator Assembled (LxWxH)	3800x1750x1350mm/12 ft.5,6in. x5ft.8,9in. 4ft.5,1 in.
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.


Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.

The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.


Ergonomic and safe glide beam


Manually adjustable legs with wheels


Control panel - Main switch

CE Developed and manufactured by ROLLSROLLER AB in Sweden. info@rollsroller.se · rollsroller.com · +46 54 770 70 10



ROLLSROLLER®
SIGNATURE ONE
360/170S ONE

MODEL NAME	ROLLSROLLER 360/170S ONE
Part No.	**122-022**
Flatbed Length	3640 mm / 11 ft. 11,3 in.
Flatbed Width	1700 mm / 5 ft. 6,9 in.
Length of working area	3340 mm / 10 ft. 11,5 in.
Width of working area (Roller width)	1630 mm / 5 ft. 4,2 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	1970 mm / 6 ft. 5,6 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	498 kg / 1098 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	693 kg / 1528 lb
Package Flatbed Applicator Assembled (LxWxH)	3800x1980x1350mm/12 ft.5,6in.x6ft. 6in.x4ft. 5,1in.
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.


Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.

The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.


Ergonomic and safe glide beam


Manually adjustable legs with wheels


Control panel - Main switch



ROLLSROLLER®
SIGNATURE ONE
360/212S ONE

MODEL NAME	ROLLSROLLER 300/212S ONE
Part No.	**122-023**
Flatbed Length	3640 mm / 11 ft. 11,3 in.
Flatbed Width	2120 mm / 6 ft. 11,5 in.
Length of working area	3340 mm / 10 ft. 11,5 in.
Width of working area (Roller width)	2050 mm / 6 ft. 8,7 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	2390 mm / 7 ft. 10,1 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	593 kg / 1307 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	818 kg / 1803 lb
Package Flatbed Applicator Assembled (LxWxH)	3800x2400x1350mm /12 ft. 5,6in. x7ft. 10,5in.x4 ft. 5,1in.
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.


Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.

The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.


Ergonomic and safe glide beam


Manually adjustable legs with wheels


Control panel - Main switch



ROLLSROLLER®
SIGNATURE ONE
420/147S ONE

MODEL NAME	ROLLSROLLER 400/147S ONE
Part No.	**122-024**
Flatbed Length	4240 mm / 13 ft. 10,9 in.
Flatbed Width	1470 mm / 4 ft. 9,9 in.
Length of working area	3940 mm / 12 ft. 11,1 in.
Width of working area (Roller width)	1400 mm / 4 ft. 7,1 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	1740 mm / 5 ft. 8,5 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	498 kg / 1098 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	693 kg / 1528 lb
Package Flatbed Applicator Assembled (LxWxH)	4400x1750x1350mm/14 ft. 5,2in. x5ft. 8,9in.x4ft. 5,1in.
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.


Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.

The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.


Ergonomic and safe glide beam


Manually adjustable legs with wheels


Control panel - Main switch

CE Developed and manufactured by ROLLSROLLER AB in Sweden. info@rollsroller.se · rollsroller.com · +46 54 770 70 10



ROLLSROLLER®
SIGNATURE ONE
420/170S ONE

MODEL NAME	ROLLSROLLER 420/170S ONE
Part No.	**122-025**
Flatbed Length	4240 mm / 13 ft. 10,9 in.
Flatbed Width	1700 mm / 5 ft. 6,9 in.
Length of working area	3940 mm / 12 ft. 11,1 in.
Width of working area (Roller width)	1630 mm / 5 ft. 4,2 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	1970 mm / 6 ft. 5,6 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	554 kg / 1221 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	769 kg / 1695 lb
Package Flatbed Applicator Assembled (LxWxH)	4400x1980x1350mm/14ft. 5,2in. x 6ft. 6in.x4 ft.5,1 in.
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.


Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.

The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.


Ergonomic and safe glide beam


Manually adjustable legs with wheels


Control panel - Main switch

CE Developed and manufactured by ROLLSROLLER AB in Sweden. info@rollsroller.se · rollsroller.com · +46 54 770 70 10



ROLLSROLLER®
SIGNATURE ONE
420/212S ONE

MODEL NAME	ROLLSROLLER 420/212S ONE
Part No.	**122-026**
Flatbed Length	4240 mm / 13 ft. 10,9 in.
Flatbed Width	2120 mm / 6 ft. 11,5 in.
Length of working area	3940 mm / 12 ft. 11,1 in.
Width of working area (Roller width)	2050 mm / 6 ft. 8,7 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	2390 mm / 7 ft. 10,1 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	658 / 1451 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	903 kg / 1991 lb
Package Flatbed Applicator Assembled (LxWxH)	4400x2400x1350 mm/14 ft.5,2in.x7ft. 10,5in.x4ft. 5,1in.
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.


Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.

The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.


Ergonomic and safe glide beam


Manually adjustable legs with wheels


Control panel - Main switch

CE Developed and manufactured by ROLLSROLLER AB in Sweden. info@rollsroller.se · rollsroller.com · +46 54 770 70 10

ROLLSROLLER®
FLATBED APPLICATOR



ROLLSROLLER®
SIGNATURE ONE
540 / 147S ONE

MODEL NAME	ROLLSROLLER 540 / 147S ONE
Part No.	**122-027**
Flatbed Length	5440 mm / 17 ft. 10,2 in.
Flatbed Width	1470 mm / 4 ft. 9,9 in.
Length of working area	5140 mm / 16 ft. 10,4 in.
Width of working area (Roller width)	1400 mm / 4 ft. 7,1 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	1740 mm / 5 ft. 8,5 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	618 kg / 1362 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	868 kg / 1914 lb
Package Flatbed Applicator Assembled (LxWxH)	5600x1750x1350mm/18ft. 4,5in. x5ft. 8,9in.x4ft. 5,1in.
Wheels	Yes (6)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.

Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.


The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.



Ergonomic and safe glide beam



Manually adjustable legs with wheels



Control panel - Main switch

ROLLSROLLER®
FLATBED APPLICATOR



ROLLSROLLER®
SIGNATURE ONE
540 / 170S ONE

MODEL NAME	ROLLSROLLER 540 / 170S ONE
Part No.	**122-028**
Flatbed Length	5440 mm / 17 ft. 10,2 in.
Flatbed Width	1700 mm / 5 ft. 6,9 in.
Length of working area	5140 mm / 16 ft. 10,4 in.
Width of working area (Roller width)	1630 mm / 5 ft. 4,2 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	1970 mm / 6 ft. 5,6 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	663 kg / 1462 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	918 kg / 2024 lb
Package Flatbed Applicator Assembled (LxWxH)	5600x1980x1350 mm/18ft. 4,5in. x 6ft. 6in.x4ft. 5,1 in.
Wheels	Yes (6)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.

Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.


The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.



Ergonomic and safe glide beam



Manually adjustable legs with wheels



Control panel - Main switch

ROLLSROLLER®
FLATBED APPLICATOR



ROLLSROLLER®
SIGNATURE ONE
540 / 212S ONE

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.

The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.

Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.


The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.


This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.

MODEL NAME	ROLLSROLLER 540/212S ONE
Part No.	**122-029**
Flatbed Length	5440 mm / 17 ft. 10,2 in.
Flatbed Width	2120 mm / 6 ft. 11,5 in.
Length of working area	5140 mm / 16 ft. 10,4 in.
Width of working area (Roller width)	2050 mm / 6 ft. 8,7 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	2390 mm / 7 ft. 10,1 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	840 kg / 1852 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	1125 kg / 2480 lb
Package Flatbed Applicator Assembled (LxWxH)	5600x2400x1350mm/18ft. 4,5in. x 7ft. 10,5 in.x4ft. 5,1in.
Wheels	Yes (6)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information



Ergonomic and safe glide beam



Manually adjustable legs with wheels



Control panel - Main switch

ROLLSROLLER®
FLATBED APPLICATOR



ROLLSROLLER®
SIGNATURE ONE
600 / 147S ONE

MODEL NAME	ROLLSROLLER 600/147S ONE
Part No.	**122-030**
Flatbed Length	6040 mm / 19 ft. 9,8 in.
Flatbed Width	1470 mm / 4 ft. 9,9 in.
Length of working area	5740 mm / 18 ft. 10 in.
Width of working area (Roller width)	1400 mm / 4 ft. 7,1 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	1740 mm / 5 ft. 8,5 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	675 kg / 1488 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	945 kg / 2083 lb
Package Flatbed Applicator Assembled (LxWxH)	6200x1750x1350mm/20ft. 4,1in. x 5ft. 8,9in.x4ft. 5,1in.
Wheels	Yes (6)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.

Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.


The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.



Ergonomic and safe glide beam



Manually adjustable legs with wheels



Control panel - Main switch

ROLLSROLLER®
FLATBED APPLICATOR



ROLLSROLLER®
SIGNATURE ONE
600 / 170S ONE

MODEL NAME	ROLLSROLLER 600 / 170S ONE
Part No.	**122-031**
Flatbed Length	6040 mm / 19 ft. 9,8 in.
Flatbed Width	1700 mm / 5 ft. 6,9 in.
Length of working area	5740 mm / 18 ft. 10 in.
Width of working area (Roller width)	1630 mm / 5 ft. 4,2 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	1970 mm / 6 ft. 5,6 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	720 kg / 1587 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	995 kg / 2194 lb
Package Flatbed Applicator Assembled (LxWxH)	6200x1980x1350mm/20ft. 4,1in. x 6ft. 6in.x4ft. 5,1in.
Wheels	Yes (6)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.

Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.


The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.



Ergonomic and safe glide beam



Manually adjustable legs with wheels



Control panel - Main switch

ROLLSROLLER®
FLATBED APPLICATOR



ROLLSROLLER®
SIGNATURE ONE
600 / 212S ONE

MODEL NAME	ROLLSROLLER 600 / 212S ONE
Part No.	**122-032**
Flatbed Length	6040 mm / 19 ft. 9,8 in.
Flatbed Width	2120 mm / 6 ft. 11,5 in.
Length of working area	5740 mm / 18 ft. 10 in.
Width of working area (Roller width)	2050 mm / 6 ft. 8,7 in.
Work height Flatbed	830 - 890 mm / 2 ft. 8,7 in. - 2 ft. 11 in.
Overall width incl. mounted Glide Beam	2390 mm / 7 ft. 10,1 in.
Overall height incl. mounted Glide Beam	1305 - 1365 mm / 4 ft. 3,4 in. - 4 ft. 5,7 in.
Weight Flatbed Applicator	911 kg / 2008 lb
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC/ 50-60Hz/10-15A
Required air supply	6-8 bar / 0,6-0,8 MPa
Set pressure during operation	3-5 bar / 0,3-0,5 MPa
Total packing weight (Flatbed Applicator + package)	1216 kg / 2681 lb
Package Flatbed Applicator Assembled (LxWxH)	6200x2400x1350mm/20ft. 4,1in. x 7ft. 10,5in.x4ft. 5,1in.
Wheels	Yes (6)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information

KEY FEATURES

- Strong welded steel frame for long-term stability and durability
- Optimized work surface for smooth and accurate application
- Updated media handling for easy control of rolls and materials. Open frame construction allows practical storage under the machine
- Safe & ergonomic glide beam with smooth and stable movement
- Delivered almost fully assembled for fast installation
- Platform designed for upgrade and expansion over time

OPTION – SIGNATURE PLUS*

For production environments with higher demands on ergonomics and efficiency, SIGNATURE ONE can be upgraded to SIGNATURE PLUS, which includes:

- Electric height adjustment with personalized memory positions for seamless operator changeovers.
- Dimmable LED lighting system
- Integrated USB A & C ports and power outlets
- Bed end storage trays

*See separate data sheet: ROLLSROLLER SIGNATURE PLUS.

ROLLSROLLER SIGNATURE ONE is the base model in our Signature concept – a stable and reliable work platform for the modern sign and print shop.


The machine is built on our well-known welded steel frame and an optimized work surface that ensures smooth, controlled and repeatable application of self-adhesive materials.

Together with these integrated functions, SIGNATURE ONE also serves as the ideal work table in your sign production – always ready, always accessible, always at the center of your workflow.


The safe & ergonomic glide beam, clear working area and efficient media handling make everyday production fast and straightforward.

SIGNATURE ONE is delivered almost fully assembled, ensuring quick installation and minimal downtime. When your requirements grow, SIGNATURE ONE can easily be upgraded to SIGNATURE PLUS, adding additional comfort and productivity features.

This makes SIGNATURE ONE a safe long-term choice for businesses that want room to grow without changing machine platform.



Ergonomic and safe glide beam



Manually adjustable legs with wheels



Control panel - Main switch